


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	61	62	63	64
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	1	1	1	1
7.5	1	1	1	1
8.0	2	1	1	1
8.5	1	1	1	1
9.0	1	1	1	1
9.5	1	1	1	1
10.0	2	1	1	1
10.5	1	1	1	1
11.0	1	1	1	1
11.5	2	1	1	1
12.0	1	1	1	1
12.5	2	1	1	1
13.0	1	1	1	0
13.5	1	0	1	1
14.0	1	1	1	1
14.5	1	1	1	1
15.0	2	1	1	1
15.5	1	1	1	1
16.0	2	1	1	1
16.5	1	1	1	1
17.0	1	1	0	1
17.5	1	1	1	1
18.0	0	2	0	2
18.5	1	2	0	2
19.0	-1	2	-1	3
19.5	0	3	-1	4
20.0	-1	4	-1	5
20.5	-1	5	-3	7
21.0	-3	6	-3	9
21.5	-4	7	-5	11
22.0	-6	9	-7	13
22.5	-8	10	-8	16
23.0	-9	12	-10	19
23.5	-12	13	-13	22
24.0	-14	16	-15	26
24.5	-18	18	-19	30
25.0	-21	20	-22	34
25.5	-24	22	-26	38
26.0	-28	24	-29	42
26.5	-32	27	-34	46
27.0	-37	29	-38	50
27.5	-41	32	-42	54
28.0	-44	34	-45	58
28.5	-48	37	-49	61
29.0	-52	39	-52	64
29.5	-54	41	-55	67
30.0	-57	43	-58	69
30.5	-60	46	-61	72
31.0	-62	48	-64	74
31.5	-65	50	-66	77
32.0	-67	52	-68	79
32.5	-68	54	-70	81



| Not Recorded

Column 2F , 300 mm Above Ground Floor Slab .

Table 4.1

33.0	-70	56	-71	82
33.5	-71	57	-73	83
34.0	-73	58	-74	84
34.5	-75	60	-76	85
35.0	-76	60	-78	87
35.5	-77	62	-80	89
36.0	-79	64	-81	91
36.5	-80	65	-82	91
37.0	-80	66	-83	92
37.5	-82	66	-83	92
38.0	-82	67	-84	93
38.5	-82	68	-85	93
39.0	-83	68	-86	94
39.5	-84	69	-87	95
40.0	-86	70	-88	95
40.5	-86	70	-89	96
41.0	-87	71	-90	97
41.5	-88	72	-91	98
42.0	-90	72	-93	99
42.5	-91	73	-94	100
43.0	-92	74	-95	101
43.5	-93	75	-97	102
44.0	-96	76	-98	103
44.5	-96	77	-99	105
45.0	-97	78	-101	106
45.5	-99	80	-102	108
46.0	-100	81	-104	109
46.5	-102	82	-105	109
47.0	-103	82	-106	110
47.5	-104	83	-107	111
48.0	-105	84	-108	112
48.5	-107	85	-109	112
49.0	-107	86	-110	113
49.5	-109	86	-112	114
50.0	-110	88	-113	115
50.5	-113	89	-115	116
51.0	-116	90	-117	117
51.5	-118	92	-120	119
52.0	-121	94	-122	120
52.5	-124	97	-125	122
53.0	-128	99	-127	124
53.5	-130	102	-129	125
54.0	-132	103	-131	126
54.5	-135	105	-133	127
55.0	-137	107	-134	127
55.5	-137	108	-135	127
56.0	-139	108	-136	126
56.5	-141	109	-137	126
57.0	-141	109	-138	125
57.5	-142	109	-138	124
58.0	-142	109	-138	123
58.5	-143	109	-139	122
59.0	-143	108	-139	121
59.5	-145	108	-140	121
60.0	-145	107	-141	120
60.5	-145	107	-141	119
61.0	-145	107	-141	119
61.5	-145	106	-141	119
62.0	-146	106	-142	118
62.5	-147	106	-143	118
63.0	-148	105	-144	117
63.5	-149	105	-145	117
64.0	-149	105	-145	116
64.5	-149	104	-145	115
65.0	-149	103	-145	113
65.5	-148	101	-145	111
66.0	-149	99	-145	109
66.5	-148	98	-145	108
67.0	-145	94	-142	105
67.5	-139	89	-138	99

Column 2F , 300 mm Above Ground Floor Slab .

Table 4.1

68.0	-133	83	-131	92
68.5	-127	77	-126	86
69.0	-122	71	-121	80
69.5	-117	65	-117	74
70.0	-111	59	-112	69
70.5	-107	53	-108	63
71.0	-102	48	-104	57
71.5	-99	42	-101	52
72.0	-94	36	-97	46
72.5	-91	31	-93	40
73.0	-86	25	-90	35
73.5	-82	19	-86	29
74.0	-78	13	-82	23
74.5	-74	7	-79	18
75.0	-69	1	-75	12
75.5	-65	-5	-72	6
76.0	-61	-11	-68	-1
76.5	-56	-18	-64	-7
77.0	-52	-25	-60	-14
77.5	-46	-32	-56	-21
78.0	-41	-39	-51	-28
78.5	-36	-46	-47	-35
79.0	-32	-53	-43	-42
79.5	-27	-60	-39	-48
80.0	-23	-66	-35	-54
80.5	-18	-72	-32	-61
81.0	-14	-78	-28	-67
81.5	-11	-84	-26	-73
82.0	-7	-89	-22	-78
82.5	-4	-94	-20	-83
83.0	0	-99	-18	-88
83.5	3	-104	-15	-92
84.0	5	-108	-13	-96
84.5	7	-112	-11	-100
85.0	10	-115	-9	-104
85.5	12	-119	-7	-108
86.0	14	-122	-5	-111
86.5	17	-126	-4	-114
87.0	17	-128	-3	-117
87.5	19	-131	-2	-120
88.0	21	-133	-1	-122
88.5	21	-135	0	-124
89.0	22	-137	0	-126
89.5	23	-139	1	-128
90.0	24	-140	1	-129
90.5	24	-141	1	-131
91.0	25	-142	2	-132
91.5	24	-143	2	-133
92.0	24	-143	1	-133
92.5	24	-143	1	-134
93.0	23	-143	0	-134
93.5	23	-143	0	-134
94.0	21	-143	-1	-134
94.5	21	-143	-1	-134
95.0	20	-143	-2	-134
95.5	19	-142	-3	-133
96.0	19	-142	-4	-133
96.5	18	-142	-5	-133
97.0	17	-141	-5	-132
97.5	16	-141	-6	-132
98.0	15	-140	-7	-132
98.5	13	-140	-8	-131
99.0	12	-139	-9	-130
99.5	11	-137	-10	-129
100.0	9	-136	-12	-128
100.5	8	-135	-13	-127
101.0	6	-134	-15	-126
101.5	5	-132	-17	-124
102.0	3	-131	-18	-122
102.5	0	-129	-20	-120

Column 2F , 300 mm Above Ground Floor Slab .

Table 4.1

103.0	-1	-127	-22	-119
103.5	-4	-125	-24	-117
104.0	-5	-123	-25	-116
104.5	-7	-122	-27	-114
105.0	-8	-120	-28	-113
105.5	-10	-119	-29	-112
106.0	-10	-118	-31	-111
106.5	-12	-117	-32	-110
107.0	-12	-116	-33	-109
107.5	-14	-115	-34	-108
108.0	-14	-114	-35	-107
108.5	-15	-113	-36	-106
109.0	-16	-112	-36	-105
109.5	-17	-111	-37	-105
110.0	-19	-110	-38	-104
110.5	-19	-110	-39	-103
111.0	-20	-109	-39	-103
111.5	-21	-108	-40	-102
112.0	-21	-107	-41	-102
112.5	-22	-107	-41	-101
113.0	-22	-106	-42	-101
113.5	-24	-106	-42	-101
114.0	-23	-105	-43	-100
114.5	-25	-105	-43	-100
115.0	-25	-105	-43	-100
115.5	-25	-104	-43	-100
116.0	-25	-104	-43	-100
116.5	-24	-104	-43	-100
117.0	-25	-104	-43	-100
117.5	-25	-104	-43	-100
118.0	-25	-104	-43	-100
118.5	-25	-104	-43	-100
119.0	-24	-104	-43	-100
119.5	-24	-104	-43	-101
120.0	-25	-104	-43	-101
120.5	-24	-104	-42	-101
121.0	-24	-104	-42	-101
121.5	-23	-104	-42	-101
122.0	-24	-104	-42	-102
122.5	-23	-104	-41	-102
123.0	-23	-104	-41	-102
123.5	-23	-104	-40	-102
124.0	-23	-104	-40	-102
124.5	-23	-104	-40	-102
125.0	-23	-104	-40	-103
125.5	-22	-104	-40	-103
126.0	-22	-104	-39	-103
126.5	-22	-104	-39	-103
127.0	-21	-104	-39	-103
127.5	-21	-104	-38	-103
128.0	-21	-104	-38	-103
128.5	-20	-104	-38	-103
129.0	-21	-104	-37	-103
129.5	-20	-104	-37	-103
130.0	-20	-104	-36	-103
130.5	-19	-104	-36	-103
131.0	-19	-104	-36	-103
131.5	-18	-104	-35	-103
132.0	-18	-104	-35	-103
132.5	-18	-104	-34	-104
133.0	-17	-104	-34	-104
133.5	-16	-104	-33	-104
134.0	-16	-104	-33	-104
134.5	-15	-104	-33	-104
135.0	-16	-104	-32	-104
135.5	-15	-103	-32	-104
136.0	-15	-103	-31	-104
136.5	-15	-103	-31	-104
137.0	-14	-103	-30	-104
137.5	-13	-103	-30	-104

**Column 2F , 300 mm Above Ground Floor Slab .**

**Table 4.1**

138.0	-13	-103	-29	-104
138.5	-13	-103	-29	-104
139.0	-12	-103	-29	-105
139.5	-12	-103	-28	-105
140.0	-11	-103	-27	-105
140.5	-11	-103	-27	-105
141.0	-10	-103	-27	-105
141.5	-9	-103	-26	-105
142.0	-9	-102	-26	-105
142.5	-9	-103	-25	-105
143.0	-7	-103	-24	-105
143.5	-7	-102	-24	-105
144.0	-7	-102	-23	-105
144.5	-6	-102	-23	-105
145.0	-6	-103	-23	-106
145.5	-5	-102	-22	-105
146.0	-5	-102	-21	-106
146.5	-4	-102	-21	-106
147.0	-3	-102	-20	-106
147.5	-2	-102	-20	-106
148.0	-2	-102	-19	-106
148.5	-2	-102	-19	-106
149.0	-1	-102	-18	-106
166.0	20	-99	2	-107
176.0	31	-97	13	-108
186.0	42	-95	23	-109
196.0	50	-92	30	-109
206.0	56	-90	36	-109
216.0	61	-88	41	-110
226.0	65	-86	45	-110
236.0	70	-84	50	-109
246.0	74	-82	53	-109
256.0	76	-80	55	-108
266.0	79	-78	58	-108
276.0	81	-77	59	-108
286.0	83	-75	61	-107
296.0	86	-73	63	-106
306.0	89	-71	65	-104
316.0	91	-69	67	-104
326.0	92	-67	68	-103
336.0	93	-66	69	-102
346.0	95	-65	71	-102
356.0	97	-64	72	-101
366.0	98	-63	73	-100
376.0	100	-62	75	-99
386.0	101	-60	76	-99
396.0	102	-59	77	-97
406.0	103	-58	78	-97
416.0	104	-57	79	-96
426.0	106	-56	80	-95
436.0	107	-55	80	-94
446.0	106	-54	81	-93
456.0	107	-52	81	-92
466.0	107	-52	81	-91
476.0	107	-50	82	-91
486.0	108	-50	82	-89
496.0	108	-49	82	-89
506.0	109	-48	82	-88
516.0	109	-47	83	-87
526.0	109	-46	83	-86
536.0	109	-46	83	-86
546.0	109	-45	83	-85
556.0	109	-44	83	-84
566.0	109	-44	83	-84
576.0	109	-43	82	-83
586.0	108	-42	82	-82
596.0	108	-42	82	-82
606.0	108	-41	82	-82
616.0	109	-40	83	-81
626.0	110	-39	83	-81

Column 2F , 300 mm Above Ground Floor Slab .

Table 4.1

636.0	110	-39	83	-80
646.0	111	-38	84	-80
656.0	111	-38	84	-79
666.0	111	-38	85	-79
676.0	111	-38	86	-78
686.0	112	-38	87	-78
696.0	112	-38	88	-76
706.0	112	-36	88	-75
716.0	113	-36	88	-74
726.0	113	-35	88	-74
736.0	113	-34	88	-73
746.0	113	-34	89	-73
756.0	113	-33	89	-72
766.0	113	-33	89	-71
776.0	114	-33	90	-71

**Column 2F , 300 mm Above Ground Floor Slab .**

**Table 4.1**

2