


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	33	34	35	36
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	-1	0	1	0
7.5	0	1	1	0
8.0	0	1	1	0
8.5	0	1	1	0
9.0	0	1	1	0
9.5	0	1	1	0
10.0	0	1	1	0
10.5	0	1	1	0
11.0	0	1	1	0
11.5	0	1	1	0
12.0	0	1	0	0
12.5	0	1	1	0
13.0	0	1	1	0
13.5	0	0	1	0
14.0	0	1	1	0
14.5	0	1	0	0
15.0	0	1	1	0
15.5	0	1	0	0
16.0	0	1	0	0
16.5	0	1	-1	-1
17.0	1	2	-2	-1
17.5	1	3	-3	-2
18.0	2	4	-5	-3
18.5	3	6	-7	-5
19.0	4	8	-11	-6
19.5	5	11	-16	-7
20.0	5	15	-20	-8
20.5	2	21	-25	-9
21.0	0	27	-31	-8
21.5	-2	33	-36	-6
22.0	-5	40	-44	-4
22.5	-8	49	-52	-2
23.0	-9	57	-63	0
23.5	-11	65	-75	5
24.0	-13	74	-88	11
24.5	-14	83	-101	15
25.0	-15	91	-112	18
25.5	-17	99	-123	21
26.0	-17	106	-133	24
26.5	-18	114	-141	25
27.0	-19	121	-151	27
27.5	-20	128	-161	30
28.0	-21	133	-168	32
28.5	-23	138	-175	34
29.0	-24	143	-181	36
29.5	-26	147	-186	38
30.0	-27	150	-190	40
30.5	-29	154	-195	42
31.0	-31	158	-200	45
31.5	-33	163	-205	47
32.0	-35	169	-212	49
32.5	-36	175	-219	51



| Not Recorded

Column 2/3-E/F , 500 mm Below Second Floor Slab .

Table 16.1

33.0	-38	180	-225	52
33.5	-38	185	-231	54
34.0	-39	190	-238	54
34.5	-40	196	-244	56
35.0	-41	202	-251	57
35.5	-41	208	-258	58
36.0	-42	212	-262	59
36.5	-43	215	-267	60
37.0	-44	218	-270	60
37.5	-45	219	-272	61
38.0	-45	222	-274	62
38.5	-45	225	-278	62
39.0	-45	229	-282	62
39.5	-46	233	-285	63
40.0	-46	236	-289	64
40.5	-47	239	-292	64
41.0	-47	242	-295	64
41.5	-48	246	-298	65
42.0	-48	248	-302	65
42.5	-48	252	-305	65
43.0	-49	256	-309	66
43.5	-49	259	-312	66
44.0	-49	262	-316	66
44.5	-49	267	-321	65
45.0	-48	272	-327	65
45.5	-48	276	-332	65
46.0	-48	280	-337	64
46.5	-48	283	-340	64
47.0	-48	286	-344	64
47.5	-48	288	-347	63
48.0	-47	291	-349	62
48.5	-47	293	-353	62
49.0	-46	296	-357	60
49.5	-45	300	-361	59
50.0	-44	302	-364	57
50.5	-43	306	-369	55
51.0	-41	308	-374	52
51.5	-38	312	-378	49
52.0	-36	315	-382	45
52.5	-33	318	-387	40
53.0	-31	319	-391	35
53.5	-29	321	-393	31
54.0	-26	322	-394	26
54.5	-25	321	-394	22
55.0	-23	320	-393	19
55.5	-22	319	-391	17
56.0	-21	316	-388	16
56.5	-20	314	-384	15
57.0	-21	309	-376	18
57.5	-21	306	-371	18
58.0	-22	303	-366	19
58.5	-21	301	-363	19
59.0	-20	300	-361	18
59.5	-18	297	-359	17
60.0	-17	297	-357	15
60.5	-16	296	-356	14
61.0	-14	294	-354	12
61.5	-13	293	-352	11
62.0	-11	292	-350	9
62.5	-10	290	-347	7
63.0	-9	287	-343	6
63.5	-7	284	-338	4
64.0	-6	277	-328	5
64.5	-8	271	-318	8
65.0	-9	264	-306	12
65.5	-10	259	-295	14
66.0	-11	253	-286	17
66.5	-11	248	-277	20
67.0	-13	241	-265	25
67.5	-14	234	-256	29

Column 2/3-E/F , 500 mm Below Second Floor Slab .

Table 16.1

68.0	-12	231	-252	30
68.5	39	230	-251	29
69.0	-8	229	-253	25
69.5	-6	228	-254	24
70.0	-3	227	-247	23
70.5	-1	226	-248	23
71.0	1	225	-248	22
71.5	3	223	-247	21
72.0	5	222	-248	20
72.5	7	221	-249	20
73.0	9	221	-249	20
73.5	11	220	-238	20
74.0	12	220	-239	20
74.5	13	220	-241	20
75.0	15	220	-242	19
75.5	16	221	-242	18
76.0	17	221	-244	17
76.5	18	222	-246	17
77.0	19	222	-240	16
77.5	20	223	-241	15
78.0	21	224	-243	14
78.5	22	225	-243	14
79.0	23	225	-244	13
79.5	24	226	-245	11
80.0	26	227	-230	11
80.5	27	228	-244	10
81.0	27	228	-245	10
81.5	28	229	-247	9
82.0	29	231	-247	8
82.5	30	232	-249	8
83.0	31	233	-249	8
83.5	32	234	-251	6
84.0	33	235	-250	5
84.5	34	235	-250	4
85.0	35	236	-250	3
85.5	36	236	-250	2
86.0	37	237	-250	1
86.5	38	238	-249	1
87.0	39	239	-247	0
87.5	40	240	-246	-1
88.0	40	241	-244	-3
88.5	41	242	-241	-5
89.0	42	242	-240	-7
89.5	43	243	-239	-8
90.0	44	245	-239	-9
90.5	45	245	-238	-10
91.0	46	246	-238	-11
91.5	47	247	-237	-12
92.0	48	247	-237	-12
92.5	49	248	-237	-13
93.0	50	249	-236	-14
93.5	52	249	-235	-15
94.0	53	249	-234	-16
94.5	54	250	-234	-16
95.0	55	250	-233	-17
95.5	56	250	-233	-17
96.0	57	250	-232	-18
96.5	58	250	-231	-18
97.0	59	250	-230	-18
97.5	60	250	-230	-18
98.0	61	250	-229	-19
98.5	62	250	-229	-19
99.0	63	251	-228	-20
99.5	64	250	-228	-21
100.0	65	251	-228	-22
100.5	66	251	-228	-23
101.0	66	251	-229	-24
101.5	67	251	-229	-25
102.0	67	251	-229	-26
102.5	68	252	-230	-26

Column 2/3-E/F , 500 mm Below Second Floor Slab .

Table 16.1

103.0	68	252	-230	-27
103.5	68	252	-231	-29
104.0	68	253	-232	-29
104.5	69	254	-232	-30
105.0	69	255	-233	-31
105.5	69	255	-234	-31
106.0	70	255	-234	-32
106.5	70	255	-234	-32
107.0	71	256	-234	-33
107.5	71	256	-234	-33
108.0	71	256	-233	-33
108.5	72	256	-233	-33
109.0	72	256	-232	-33
109.5	72	256	-232	-33
110.0	72	256	-231	-33
110.5	73	256	-231	-32
111.0	73	256	-230	-32
111.5	73	256	-230	-32
112.0	73	256	-229	-32
112.5	74	255	-228	-31
113.0	74	255	-227	-31
113.5	74	255	-226	-31
114.0	74	255	-225	-30
114.5	74	255	-224	-30
115.0	75	255	-223	-30
115.5	76	255	-222	-30
116.0	76	255	-222	-30
116.5	77	255	-220	-30
117.0	77	255	-219	-30
117.5	77	254	-217	-29
118.0	77	253	-215	-28
118.5	78	252	-212	-28
119.0	78	251	-210	-27
119.5	78	250	-207	-26
120.0	78	249	-205	-26
120.5	78	248	-203	-26
121.0	78	247	-200	-25
121.5	78	247	-198	-24
122.0	78	246	-196	-24
122.5	79	245	-195	-24
123.0	79	245	-193	-24
123.5	80	244	-191	-24
124.0	80	243	-189	-24
124.5	80	242	-188	-24
125.0	80	242	-186	-24
125.5	81	241	-185	-24
126.0	81	240	-183	-24
126.5	81	240	-182	-24
127.0	82	239	-180	-24
127.5	82	239	-178	-24
128.0	82	238	-177	-24
128.5	82	237	-175	-24
129.0	82	236	-174	-24
129.5	83	236	-173	-24
130.0	83	235	-171	-23
130.5	83	235	-170	-23
131.0	83	233	-168	-23
131.5	83	233	-167	-23
132.0	83	232	-166	-23
132.5	84	229	-160	-23
133.0	84	227	-159	-24
133.5	84	227	-157	-23
134.0	85	226	-156	-23
134.5	84	226	-155	-23
135.0	85	225	-154	-23
135.5	85	224	-153	-22
136.0	84	224	-152	-22
136.5	84	223	-151	-22
137.0	85	222	-149	-22
137.5	85	222	-148	-21

Column 2/3-E/F , 500 mm Below Second Floor Slab .

Table 16.1

138.0	85	221	-147	-21
138.5	85	220	-146	-21
139.0	85	220	-145	-21
139.5	85	219	-144	-21
140.0	85	219	-143	-20
140.5	84	218	-142	-20
141.0	85	218	-141	-20
141.5	85	217	-140	-20
142.0	85	217	-139	-20
142.5	85	216	-138	-19
143.0	85	216	-137	-19
143.5	85	215	-136	-19
144.0	84	214	-136	-19
144.5	85	214	-134	-19
145.0	84	213	-134	-18
145.5	84	213	-133	-18
146.0	84	212	-132	-18
146.5	84	211	-131	-18
147.0	84	211	-131	-18
147.5	84	211	-130	-17
148.0	84	210	-129	-17
148.5	84	210	-129	-16
149.0	83	209	-128	-16
166.0	79	193	-104	-8
176.0	76	183	-92	-3
186.0	73	173	-81	1
196.0	71	163	-71	4
206.0	68	154	-63	6
216.0	66	144	-53	9
226.0	63	135	-45	11
236.0	59	127	-38	13
246.0	57	119	-31	14
256.0	54	111	-25	15
266.0	51	103	-19	16
276.0	47	96	-14	16
286.0	44	90	-9	18
296.0	42	84	-5	18
306.0	39	80	-3	18
316.0	36	76	0	19
326.0	34	71	3	20
336.0	32	67	5	19
346.0	30	63	8	19
356.0	28	59	10	19
366.0	26	56	13	19
376.0	24	52	14	19
386.0	23	49	17	19
396.0	21	49	15	19
406.0	19	45	17	19
416.0	18	42	18	19
426.0	18	40	20	19
436.0	16	38	21	19
446.0	15	36	22	19
456.0	14	34	24	19
466.0	13	32	25	19
476.0	12	30	25	19
486.0	11	29	26	19
496.0	10	27	26	19
506.0	10	26	27	19
516.0	9	25	28	19
526.0	8	23	29	19
536.0	8	22	29	19
546.0	7	21	30	19
556.0	6	20	30	19
566.0	5	18	31	19
576.0	4	17	31	19
586.0	5	17	31	18
596.0	4	16	32	18
606.0	3	14	32	18
616.0	3	14	33	18
626.0	3	13	34	18

Column 2/3-E/F , 500 mm Below Second Floor Slab .

Table 16.1

636.0	3	12	35	18
646.0	3	11	35	18
656.0	3	12	35	18
666.0	3	11	36	19
676.0	2	11	36	19
686.0	2	10	37	19
696.0	1	9	38	19
706.0	1	8	38	19
716.0	0	8	39	19
726.0	0	8	39	19
736.0	0	7	39	19
746.0	-1	6	39	19
756.0	-1	6	41	20
766.0	-2	5	40	19
776.0	-2	3	41	19

4