


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	17	18	19	20
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	1	0	1	0
7.5	1	0	1	1
8.0	1	1	1	1
8.5	0	0	1	1
9.0	0	1	1	1
9.5	0	1	1	1
10.0	1	0	1	0
10.5	0	1	1	1
11.0	0	1	1	1
11.5	1	0	1	1
12.0	0	1	1	1
12.5	1	1	1	1
13.0	1	0	1	1
13.5	0	0	1	1
14.0	0	1	1	1
14.5	1	0	1	0
15.0	1	0	1	1
15.5	1	0	1	0
16.0	1	0	1	1
16.5	1	0	1	1
17.0	1	1	0	1
17.5	1	1	0	0
18.0	1	1	0	0
18.5	1	2	-1	0
19.0	1	2	-2	0
19.5	2	4	-3	0
20.0	3	5	-5	-1
20.5	5	7	-7	-1
21.0	6	8	-9	-2
21.5	8	10	-12	-2
22.0	11	12	-15	-3
22.5	14	14	-18	-4
23.0	17	16	-22	-6
23.5	21	19	-26	-8
24.0	25	23	-31	-10
24.5	29	26	-36	-12
25.0	34	30	-41	-14
25.5	37	34	-47	-16
26.0	41	38	-52	-17
26.5	44	42	-58	-18
27.0	47	46	-63	-20
27.5	49	50	-67	-20
28.0	50	54	-72	-20
28.5	52	58	-76	-20
29.0	53	61	-80	-19
29.5	54	64	-83	-19
30.0	55	66	-86	-20
30.5	56	68	-88	-20
31.0	58	70	-91	-20
31.5	59	72	-94	-20
32.0	60	73	-96	-21
32.5	61	75	-98	-20



| Not Recorded

Column 1F, 500 mm Below Third Floor Slab .

Table 21.1

33.0	62	75	-99	-20
33.5	62	76	-101	-19
34.0	62	77	-102	-18
34.5	63	78	-103	-18
35.0	64	80	-106	-18
35.5	66	81	-107	-18
36.0	68	82	-110	-18
36.5	68	83	-112	-18
37.0	68	84	-113	-17
37.5	68	85	-115	-16
38.0	69	86	-117	-16
38.5	70	87	-117	-16
39.0	71	88	-119	-15
39.5	73	88	-119	-16
40.0	73	89	-121	-15
40.5	74	89	-122	-15
41.0	75	90	-123	-14
41.5	76	92	-125	-14
42.0	76	92	-127	-14
42.5	78	93	-128	-14
43.0	78	94	-131	-14
43.5	79	95	-132	-13
44.0	80	96	-135	-14
44.5	82	96	-136	-16
45.0	84	97	-138	-17
45.5	87	98	-140	-19
46.0	89	98	-142	-20
46.5	90	100	-145	-19
47.0	91	101	-146	-19
47.5	92	102	-148	-20
48.0	92	104	-150	-19
48.5	92	105	-151	-18
49.0	93	105	-152	-18
49.5	93	107	-153	-18
50.0	92	109	-157	-17
50.5	93	111	-158	-18
51.0	94	113	-162	-19
51.5	96	115	-165	-20
52.0	97	118	-169	-21
52.5	97	122	-173	-20
53.0	97	126	-178	-19
53.5	97	128	-182	-18
54.0	97	131	-186	-17
54.5	97	134	-190	-17
55.0	96	137	-193	-15
55.5	95	139	-197	-13
56.0	95	141	-200	-12
56.5	95	142	-203	-12
57.0	94	144	-206	-11
57.5	93	145	-208	-9
58.0	92	146	-210	-8
58.5	92	148	-213	-7
59.0	91	149	-215	-6
59.5	91	150	-217	-5
60.0	90	152	-219	-4
60.5	90	154	-221	-4
61.0	89	156	-223	-2
61.5	89	158	-226	-2
62.0	89	161	-229	-1
62.5	90	162	-231	-1
63.0	89	165	-233	1
63.5	87	169	-236	4
64.0	84	173	-240	8
64.5	82	174	-242	9
65.0	81	175	-244	11
65.5	81	175	-244	11
66.0	82	175	-245	11
66.5	81	175	-247	12
67.0	82	175	-247	14
67.5	82	176	-248	16

Column 1F, 500 mm Below Third Floor Slab .

Table 21.1

68.0	82	177	-249	17
68.5	82	178	-250	19
69.0	83	179	-252	20
69.5	84	180	-252	21
70.0	85	181	-254	21
70.5	87	183	-254	21
71.0	88	184	-255	21
71.5	90	186	-257	21
72.0	92	188	-258	20
72.5	94	188	-258	19
73.0	97	191	-259	20
73.5	99	191	-260	18
74.0	102	191	-260	18
74.5	105	192	-260	16
75.0	108	192	-260	15
75.5	111	192	-260	14
76.0	114	192	-260	13
76.5	117	192	-260	11
77.0	121	192	-259	10
77.5	124	192	-260	9
78.0	128	191	-259	8
78.5	132	191	-259	6
79.0	136	191	-259	5
79.5	139	191	-260	3
80.0	143	192	-259	2
80.5	147	192	-259	0
81.0	151	192	-260	-2
81.5	154	192	-260	-3
82.0	158	192	-260	-5
82.5	162	193	-260	-7
83.0	166	194	-260	-7
83.5	168	196	-260	-7
84.0	168	199	-262	-5
84.5	167	203	-267	-2
85.0	166	204	-270	-2
85.5	163	205	-274	-3
86.0	162	205	-277	-3
86.5	166	206	-276	-4
87.0	170	208	-276	-4
87.5	168	209	-279	-3
88.0	166	210	-282	-3
88.5	165	209	-286	-5
89.0	160	211	-291	-4
89.5	160	210	-293	-5
90.0	162	212	-293	-4
90.5	161	213	-295	-5
91.0	161	213	-297	-4
91.5	159	213	-300	-5
92.0	158	212	-302	-6
92.5	157	212	-303	-6
93.0	157	212	-304	-6
93.5	156	212	-305	-7
94.0	155	211	-306	-8
94.5	154	211	-307	-8
95.0	155	211	-307	-8
95.5	156	211	-306	-9
96.0	156	210	-306	-9
96.5	156	210	-305	-9
97.0	157	209	-304	-10
97.5	158	208	-302	-10
98.0	158	207	-301	-10
98.5	160	207	-300	-10
99.0	160	205	-298	-11
99.5	161	204	-296	-12
100.0	162	203	-295	-12
100.5	164	201	-293	-13
101.0	165	200	-291	-13
101.5	166	198	-289	-14
102.0	167	197	-287	-14
102.5	168	196	-285	-15

Column 1F, 500 mm Below Third Floor Slab .

Table 21.1

103.0	169	194	-282	-15
103.5	171	193	-279	-15
104.0	172	191	-277	-16
104.5	175	189	-274	-17
105.0	177	188	-271	-17
105.5	178	187	-269	-17
106.0	179	184	-266	-18
106.5	180	183	-263	-19
107.0	183	182	-260	-19
107.5	184	180	-258	-19
108.0	185	178	-255	-20
108.5	186	177	-252	-21
109.0	187	175	-250	-22
109.5	188	173	-247	-23
110.0	191	171	-244	-23
110.5	193	170	-240	-24
111.0	194	168	-237	-24
111.5	196	167	-234	-25
112.0	197	165	-232	-26
112.5	197	163	-230	-27
113.0	198	161	-228	-28
113.5	199	160	-226	-29
114.0	200	158	-223	-31
114.5	201	156	-221	-31
115.0	202	154	-219	-33
115.5	203	153	-216	-34
116.0	204	151	-214	-35
116.5	205	149	-212	-36
117.0	206	148	-209	-37
117.5	207	146	-207	-37
118.0	208	144	-204	-38
118.5	209	143	-202	-39
119.0	210	141	-200	-40
119.5	211	139	-198	-41
120.0	212	138	-196	-42
120.5	213	136	-194	-43
121.0	213	135	-192	-43
121.5	214	133	-189	-45
122.0	215	131	-187	-46
122.5	216	130	-186	-46
123.0	216	128	-184	-47
123.5	216	127	-182	-48
124.0	217	125	-180	-48
124.5	218	124	-178	-49
125.0	219	122	-176	-50
125.5	220	120	-173	-51
126.0	221	119	-172	-52
126.5	222	117	-170	-53
127.0	222	116	-168	-54
127.5	223	114	-166	-55
128.0	224	113	-164	-56
128.5	225	111	-162	-57
129.0	225	109	-160	-58
129.5	226	107	-158	-59
130.0	227	106	-156	-60
130.5	227	104	-155	-60
131.0	228	103	-153	-61
131.5	228	101	-152	-62
132.0	229	100	-150	-63
132.5	229	99	-148	-63
133.0	229	97	-147	-64
133.5	230	95	-145	-65
134.0	231	94	-144	-66
134.5	231	93	-142	-66
135.0	231	91	-140	-67
135.5	231	90	-139	-68
136.0	232	89	-138	-68
136.5	232	87	-136	-69
137.0	232	86	-134	-70
137.5	233	84	-133	-70

Column 1F, 500 mm Below Third Floor Slab .

Table 21.1

138.0	233	83	-131	-71
138.5	234	81	-130	-72
139.0	234	80	-128	-72
139.5	234	78	-127	-73
140.0	234	77	-125	-74
140.5	234	76	-124	-74
141.0	234	75	-123	-75
141.5	235	73	-121	-76
142.0	235	72	-120	-76
142.5	235	70	-119	-77
143.0	236	69	-117	-77
143.5	236	68	-116	-78
144.0	236	67	-115	-78
144.5	236	66	-113	-79
145.0	236	64	-112	-80
145.5	237	63	-111	-80
146.0	237	62	-110	-81
146.5	237	61	-108	-81
147.0	238	59	-107	-82
147.5	238	58	-106	-82
148.0	238	56	-105	-84
148.5	238	55	-103	-84
149.0	239	54	-102	-85
166.0	243	16	-71	-100
176.0	241	1	-58	-105
186.0	237	-13	-47	-108
196.0	232	-23	-37	-109
206.0	226	-31	-29	-110
216.0	217	-37	-23	-108
226.0	210	-43	-18	-105
236.0	202	-46	-13	-102
246.0	192	-49	-9	-99
256.0	182	-51	-5	-96
266.0	174	-53	-1	-93
276.0	165	-54	1	-91
286.0	158	-55	3	-89
296.0	151	-55	4	-87
306.0	145	-55	6	-86
316.0	140	-55	7	-84
326.0	135	-55	8	-82
336.0	129	-55	8	-81
346.0	125	-55	9	-79
356.0	121	-55	10	-78
366.0	117	-56	10	-77
376.0	114	-56	10	-76
386.0	111	-56	11	-75
396.0	108	-57	12	-74
406.0	105	-57	12	-73
416.0	102	-57	12	-72
426.0	100	-57	13	-71
436.0	98	-57	13	-70
446.0	95	-58	14	-69
456.0	93	-58	14	-68
466.0	91	-58	14	-67
476.0	89	-59	15	-67
486.0	87	-59	15	-66
496.0	86	-59	16	-65
506.0	84	-59	16	-64
516.0	83	-59	16	-64
526.0	81	-60	16	-63
536.0	80	-60	17	-63
546.0	79	-60	16	-62
556.0	78	-61	17	-62
566.0	77	-61	17	-63
576.0	75	-61	17	-63
586.0	74	-62	17	-62
596.0	73	-62	17	-62
606.0	74	-62	18	-61
616.0	74	-61	19	-60
626.0	74	-62	19	-59

Column 1F, 500 mm Below Third Floor Slab .

Table 21.1

636.0	74	-62	20	-59
646.0	73	-61	20	-58
656.0	72	-61	19	-58
666.0	70	-61	18	-58
676.0	69	-60	17	-58
686.0	69	-59	17	-57
696.0	68	-58	16	-57
706.0	68	-57	16	-56
716.0	66	-57	17	-55
726.0	66	-56	17	-55
736.0	66	-56	17	-54
746.0	65	-56	17	-54
756.0	65	-55	17	-54
766.0	65	-55	17	-53
776.0	64	-54	17	-53

