


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	9	10	11	12
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	1	0	2	1
7.5	1	0	1	1
8.0	1	0	1	1
8.5	1	0	2	1
9.0	1	0	2	1
9.5	1	0	2	1
10.0	1	0	2	1
10.5	1	0	3	1
11.0	1	0	1	1
11.5	1	0	2	1
12.0	1	0	1	1
12.5	1	0	2	1
13.0	1	0	3	1
13.5	1	0	2	1
14.0	1	0	2	1
14.5	1	0	1	1
15.0	1	0	1	1
15.5	1	0	3	1
16.0	1	0	3	1
16.5	0	0	1	1
17.0	1	0	1	1
17.5	1	0	2	0
18.0	1	-1	2	0
18.5	2	-1	3	-1
19.0	3	-2	4	-2
19.5	5	-4	6	-3
20.0	7	-5	8	-5
20.5	10	-6	8	-8
21.0	14	-8	12	-11
21.5	17	-10	14	-15
22.0	21	-13	15	-19
22.5	27	-15	19	-24
23.0	33	-19	24	-31
23.5	40	-23	27	-38
24.0	47	-26	32	-47
24.5	55	-31	39	-55
25.0	63	-35	43	-62
25.5	71	-39	50	-70
26.0	78	-44	54	-77
26.5	87	-49	62	-86
27.0	96	-54	67	-94
27.5	104	-58	72	-102
28.0	113	-62	79	-110
28.5	120	-68	84	-118
29.0	127	-74	90	-124
29.5	133	-78	95	-130
30.0	138	-83	100	-135
30.5	143	-87	103	-140
31.0	149	-92	108	-145
31.5	153	-96	115	-151
32.0	158	-101	118	-155
32.5	161	-104	121	-158



| Not Recorded

Column 2F , 500 mm Below Third Floor Slab .

Table 22.1

33.0	163	-107	124	-161
33.5	166	-110	127	-163
34.0	168	-113	128	-166
34.5	172	-116	131	-169
35.0	175	-119	135	-174
35.5	179	-122	139	-176
36.0	182	-126	143	-180
36.5	184	-129	145	-182
37.0	186	-131	147	-184
37.5	186	-133	147	-185
38.0	188	-135	149	-186
38.5	189	-137	149	-187
39.0	191	-138	151	-189
39.5	193	-140	154	-191
40.0	194	-142	155	-193
40.5	196	-144	158	-195
41.0	198	-146	159	-197
41.5	200	-148	161	-199
42.0	201	-150	163	-201
42.5	203	-152	165	-203
43.0	205	-154	168	-206
43.5	207	-156	171	-208
44.0	210	-160	172	-211
44.5	215	-163	177	-215
45.0	219	-167	180	-219
45.5	223	-171	184	-223
46.0	226	-174	186	-226
46.5	229	-177	189	-229
47.0	231	-179	192	-232
47.5	233	-181	194	-234
48.0	234	-183	196	-236
48.5	236	-185	197	-238
49.0	238	-187	199	-239
49.5	241	-189	202	-242
50.0	243	-190	201	-244
50.5	247	-194	203	-246
51.0	252	-198	206	-251
51.5	258	-203	211	-256
52.0	265	-208	214	-262
52.5	272	-214	219	-267
53.0	278	-220	221	-271
53.5	283	-226	225	-275
54.0	289	-231	229	-279
54.5	294	-236	231	-283
55.0	297	-240	234	-285
55.5	299	-243	235	-286
56.0	301	-247	236	-288
56.5	304	-250	237	-289
57.0	304	-253	239	-290
57.5	304	-255	239	-290
58.0	304	-258	240	-290
58.5	304	-260	241	-291
59.0	305	-261	242	-292
59.5	304	-262	240	-292
60.0	304	-263	240	-292
60.5	303	-263	239	-292
61.0	303	-264	239	-292
61.5	302	-263	239	-294
62.0	301	-263	239	-295
62.5	301	-264	239	-295
63.0	300	-264	238	-294
63.5	300	-262	236	-294
64.0	296	-260	233	-291
64.5	292	-259	229	-289
65.0	289	-257	227	-287
65.5	285	-256	224	-286
66.0	282	-254	222	-284
66.5	279	-254	222	-284
67.0	273	-251	220	-281
67.5	265	-246	214	-275

Column 2F , 500 mm Below Third Floor Slab .

Table 22.1

68.0	255	-240	207	-268
68.5	247	-235	200	-262
69.0	240	-231	194	-257
69.5	234	-228	189	-253
70.0	228	-224	184	-250
70.5	223	-222	180	-247
71.0	218	-219	176	-243
71.5	214	-216	171	-241
72.0	210	-214	167	-238
72.5	205	-212	163	-236
73.0	201	-210	159	-233
73.5	197	-208	156	-232
74.0	194	-206	153	-229
74.5	190	-205	149	-227
75.0	187	-204	146	-226
75.5	184	-204	143	-225
76.0	181	-203	140	-223
76.5	178	-203	137	-222
77.0	175	-202	135	-220
77.5	172	-202	132	-219
78.0	169	-202	129	-218
78.5	166	-202	126	-217
79.0	163	-202	124	-216
79.5	161	-202	121	-215
80.0	158	-202	119	-215
80.5	156	-202	117	-215
81.0	153	-202	115	-215
81.5	151	-203	114	-215
82.0	150	-204	113	-216
82.5	148	-205	111	-216
83.0	146	-205	109	-217
83.5	144	-204	107	-215
84.0	141	-202	104	-212
84.5	137	-199	99	-210
85.0	134	-197	96	-209
85.5	130	-196	91	-207
86.0	126	-194	87	-206
86.5	123	-195	85	-206
87.0	122	-193	83	-205
87.5	119	-192	80	-203
88.0	115	-190	76	-202
88.5	110	-189	71	-201
89.0	105	-187	66	-199
89.5	100	-186	62	-198
90.0	98	-184	59	-196
90.5	94	-183	56	-194
91.0	91	-181	53	-192
91.5	87	-180	49	-191
92.0	84	-178	46	-190
92.5	81	-177	42	-188
93.0	78	-176	40	-187
93.5	75	-174	37	-185
94.0	72	-172	33	-183
94.5	69	-171	31	-182
95.0	67	-170	28	-180
95.5	65	-168	26	-178
96.0	62	-167	24	-177
96.5	60	-166	22	-175
97.0	58	-165	20	-174
97.5	57	-164	18	-173
98.0	55	-163	17	-172
98.5	54	-162	16	-171
99.0	53	-162	15	-170
99.5	51	-161	14	-169
100.0	50	-161	13	-168
100.5	49	-161	13	-168
101.0	48	-162	13	-168
101.5	47	-162	13	-169
102.0	46	-163	14	-169
102.5	46	-164	15	-170

Column 2F , 500 mm Below Third Floor Slab .

Table 22.1

103.0	45	-165	16	-170
103.5	44	-166	17	-171
104.0	44	-167	18	-171
104.5	44	-168	20	-172
105.0	43	-168	21	-172
105.5	42	-169	21	-172
106.0	41	-170	22	-172
106.5	40	-170	22	-173
107.0	40	-170	23	-172
107.5	40	-171	24	-172
108.0	39	-171	24	-172
108.5	38	-172	25	-172
109.0	37	-172	25	-172
109.5	37	-172	25	-172
110.0	36	-173	26	-172
110.5	37	-173	27	-172
111.0	36	-174	28	-172
111.5	36	-174	29	-171
112.0	36	-174	30	-171
112.5	35	-174	30	-171
113.0	34	-175	30	-171
113.5	33	-174	30	-170
114.0	33	-174	29	-170
114.5	32	-174	29	-170
115.0	32	-174	29	-169
115.5	31	-173	29	-168
116.0	30	-173	28	-167
116.5	29	-172	28	-166
117.0	29	-171	27	-166
117.5	28	-170	27	-164
118.0	27	-170	26	-163
118.5	26	-169	26	-162
119.0	25	-168	25	-161
119.5	24	-167	25	-160
120.0	23	-167	24	-159
120.5	22	-166	23	-158
121.0	21	-165	23	-157
121.5	20	-164	22	-156
122.0	19	-163	21	-155
122.5	18	-162	21	-154
123.0	17	-161	20	-152
123.5	15	-160	19	-151
124.0	15	-159	18	-150
124.5	14	-159	18	-149
125.0	13	-158	17	-148
125.5	13	-157	17	-147
126.0	12	-156	17	-146
126.5	11	-156	16	-146
127.0	11	-155	16	-144
127.5	10	-154	16	-144
128.0	10	-154	16	-143
128.5	9	-153	15	-142
129.0	8	-152	15	-141
129.5	7	-151	15	-140
130.0	7	-151	14	-139
130.5	6	-150	14	-138
131.0	5	-150	14	-138
131.5	5	-149	14	-136
132.0	4	-148	13	-135
132.5	3	-146	12	-133
133.0	2	-145	11	-133
133.5	1	-145	11	-132
134.0	0	-144	11	-131
134.5	-1	-144	11	-130
135.0	-1	-143	10	-129
135.5	-1	-142	10	-128
136.0	-2	-141	10	-127
136.5	-3	-141	10	-127
137.0	-3	-140	9	-125
137.5	-4	-139	9	-125

Column 2F , 500 mm Below Third Floor Slab .

Table 22.1

138.0	-5	-139	9	-124
138.5	-5	-138	9	-123
139.0	-6	-137	9	-122
139.5	-7	-137	8	-121
140.0	-7	-136	8	-120
140.5	-8	-135	8	-119
141.0	-8	-134	8	-118
141.5	-9	-134	8	-117
142.0	-9	-133	8	-116
142.5	-10	-132	7	-115
143.0	-11	-131	7	-114
143.5	-12	-130	7	-113
144.0	-12	-130	7	-112
144.5	-12	-129	7	-111
145.0	-13	-128	6	-111
145.5	-14	-128	7	-109
146.0	-15	-126	6	-109
146.5	-15	-126	7	-108
147.0	-16	-125	6	-107
147.5	-16	-124	7	-106
148.0	-18	-122	6	-105
148.5	-19	-121	6	-104
149.0	-20	-121	6	-103
166.0	-31	-99	4	-75
176.0	-34	-87	-1	-58
186.0	-34	-78	-5	-43
196.0	-32	-69	-7	-33
206.0	-29	-62	-7	-25
216.0	-27	-54	-10	-18
226.0	-25	-48	-12	-12
236.0	-23	-41	-13	-6
246.0	-21	-36	-15	-2
256.0	-20	-31	-18	2
266.0	-18	-26	-19	5
276.0	-18	-23	-21	10
286.0	-16	-19	-23	13
296.0	-15	-16	-25	16
306.0	-14	-13	-26	18
316.0	-13	-10	-28	20
326.0	-11	-7	-29	22
336.0	-11	-5	-31	24
346.0	-10	-2	-32	26
356.0	-9	0	-34	28
366.0	-9	2	-35	29
376.0	-8	4	-36	30
386.0	-7	6	-38	31
396.0	-6	8	-38	32
406.0	-5	10	-39	33
416.0	-5	11	-41	34
426.0	-4	14	-40	35
436.0	-3	15	-43	36
446.0	-3	17	-44	37
456.0	-2	18	-45	37
466.0	-2	20	-46	38
476.0	-1	21	-47	38
486.0	0	22	-46	39
496.0	0	23	-48	39
506.0	1	25	-49	40
516.0	1	26	-49	41
526.0	2	27	-49	41
536.0	2	28	-51	42
546.0	2	29	-50	42
556.0	3	30	-51	43
566.0	3	30	-52	43
576.0	4	30	-52	42
586.0	4	30	-54	42
596.0	4	30	-53	43
606.0	5	30	-53	43
616.0	6	31	-52	44
626.0	6	32	-51	46

Column 2F , 500 mm Below Third Floor Slab .

Table 22.1

636.0	6	33	-51	46
646.0	6	33	-51	47
656.0	6	34	-52	48
666.0	6	34	-53	47
676.0	6	35	-52	48
686.0	6	35	-54	48
696.0	6	37	-54	49
706.0	6	38	-54	50
716.0	6	39	-55	51
726.0	7	41	-56	52
736.0	7	41	-56	52
746.0	7	42	-56	53
756.0	8	43	-56	53
766.0	8	43	-57	53
776.0	8	44	-57	54

Column 2F , 500 mm Below Third Floor Slab .

Table 22.1