


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	25	26	27	28
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	1	0	1	0
7.5	1	0	1	0
8.0	1	0	1	0
8.5	1	1	1	0
9.0	1	1	1	0
9.5	1	1	1	0
10.0	1	0	1	0
10.5	1	0	1	0
11.0	1	0	1	0
11.5	1	1	1	0
12.0	1	0	1	0
12.5	1	1	1	0
13.0	1	1	1	0
13.5	1	0	1	0
14.0	1	1	1	0
14.5	1	0	1	0
15.0	1	1	1	0
15.5	1	1	1	0
16.0	1	0	1	0
16.5	1	0	1	0
17.0	1	0	1	0
17.5	2	0	1	0
18.0	1	1	1	0
18.5	2	0	2	0
19.0	2	0	2	-1
19.5	2	0	2	-1
20.0	3	0	3	-1
20.5	4	0	3	-2
21.0	4	-1	4	-2
21.5	5	-1	5	-3
22.0	7	-2	6	-4
22.5	8	-2	7	-5
23.0	9	-3	9	-6
23.5	11	-4	10	-8
24.0	12	-5	12	-9
24.5	14	-7	13	-11
25.0	16	-8	15	-13
25.5	17	-9	17	-15
26.0	18	-10	18	-16
26.5	20	-11	19	-17
27.0	21	-11	21	-18
27.5	22	-13	22	-20
28.0	24	-14	23	-21
28.5	25	-15	25	-22
29.0	26	-15	26	-24
29.5	27	-16	27	-25
30.0	28	-17	29	-26
30.5	30	-18	30	-27
31.0	31	-19	31	-29
31.5	32	-19	32	-30
32.0	34	-20	34	-31
32.5	35	-21	34	-33



| Not Recorded

Column 1D, 500 mm Below Second Floor Slab .

Table 15.1

33.0	36	-21	35	-34
33.5	37	-22	36	-35
34.0	39	-23	37	-36
34.5	39	-23	38	-37
35.0	40	-24	39	-38
35.5	42	-25	41	-40
36.0	43	-26	42	-41
36.5	45	-27	43	-42
37.0	45	-27	45	-43
37.5	46	-28	45	-44
38.0	47	-29	46	-44
38.5	48	-29	47	-45
39.0	48	-30	48	-46
39.5	49	-30	49	-47
40.0	50	-31	50	-48
40.5	51	-32	51	-49
41.0	52	-33	52	-50
41.5	53	-33	53	-51
42.0	54	-34	54	-52
42.5	55	-34	55	-53
43.0	56	-35	56	-53
43.5	57	-35	57	-54
44.0	58	-36	58	-55
44.5	59	-37	59	-56
45.0	60	-37	60	-57
45.5	61	-38	61	-58
46.0	62	-39	62	-60
46.5	63	-39	63	-60
47.0	65	-42	65	-63
47.5	66	-43	66	-64
48.0	66	-43	66	-64
48.5	67	-44	67	-65
49.0	68	-44	68	-66
49.5	69	-45	69	-67
50.0	70	-46	70	-68
50.5	70	-46	71	-69
51.0	71	-47	71	-70
51.5	73	-50	73	-73
52.0	73	-50	74	-73
52.5	73	-51	74	-73
53.0	73	-51	74	-74
53.5	74	-52	75	-74
54.0	75	-53	76	-75
54.5	75	-53	76	-75
55.0	76	-54	76	-75
55.5	77	-55	77	-77
56.0	77	-55	77	-77
56.5	77	-55	77	-77
57.0	78	-55	78	-77
57.5	78	-56	78	-78
58.0	78	-56	78	-78
58.5	79	-56	79	-77
59.0	79	-56	79	-78
59.5	79	-57	79	-78
60.0	79	-57	79	-78
60.5	79	-57	80	-78
61.0	80	-57	80	-77
61.5	80	-56	80	-77
62.0	80	-57	80	-77
62.5	80	-57	80	-77
63.0	80	-56	80	-77
63.5	80	-56	79	-77
64.0	80	-56	79	-77
64.5	80	-56	79	-76
65.0	80	-55	79	-76
65.5	81	-55	79	-76
66.0	81	-55	78	-77
66.5	81	-55	79	-76
67.0	81	-55	78	-76
67.5	81	-54	78	-75

Column 1D, 500 mm Below Second Floor Slab .

Table 15.1

68.0	80	-54	77	-74
68.5	80	-53	77	-74
69.0	79	-53	77	-73
69.5	79	-52	77	-73
70.0	79	-52	77	-72
70.5	79	-52	77	-72
71.0	79	-52	77	-72
71.5	79	-52	77	-72
72.0	79	-52	77	-71
72.5	79	-52	77	-72
73.0	79	-52	78	-71
73.5	79	-52	78	-72
74.0	80	-52	78	-72
74.5	80	-53	79	-72
75.0	80	-53	79	-72
75.5	80	-53	79	-72
76.0	80	-53	80	-71
76.5	80	-53	80	-72
77.0	80	-53	81	-72
77.5	80	-53	81	-72
78.0	81	-53	81	-72
78.5	81	-53	81	-72
79.0	81	-53	81	-72
79.5	82	-54	81	-72
80.0	82	-54	82	-72
80.5	82	-54	82	-73
81.0	82	-54	83	-72
81.5	83	-55	83	-73
82.0	83	-55	84	-73
82.5	83	-55	84	-73
83.0	83	-55	84	-73
83.5	83	-55	84	-73
84.0	84	-56	85	-73
84.5	84	-56	85	-74
85.0	85	-56	86	-74
85.5	85	-57	86	-75
86.0	86	-57	86	-75
86.5	86	-57	87	-75
87.0	86	-58	87	-75
87.5	87	-58	87	-75
88.0	87	-58	88	-76
88.5	87	-58	88	-76
89.0	87	-59	89	-77
89.5	88	-59	89	-77
90.0	88	-59	89	-77
90.5	89	-61	90	-78
91.0	89	-61	91	-78
91.5	89	-61	91	-78
92.0	89	-62	91	-78
92.5	89	-61	91	-79
93.0	89	-62	92	-78
93.5	90	-62	92	-79
94.0	90	-63	92	-79
94.5	90	-62	92	-79
95.0	90	-63	93	-79
95.5	90	-63	93	-79
96.0	90	-63	93	-79
96.5	90	-63	93	-79
97.0	90	-63	93	-79
97.5	90	-63	93	-79
98.0	90	-64	93	-79
98.5	90	-64	93	-79
99.0	91	-65	94	-81
99.5	91	-66	95	-81
100.0	91	-66	95	-82
100.5	91	-66	95	-82
101.0	92	-66	95	-82
101.5	92	-66	96	-82
102.0	92	-67	96	-83
102.5	92	-67	96	-83

Column 1D, 500 mm Below Second Floor Slab .

Table 15.1

103.0	93	-67	97	-83
103.5	93	-68	97	-84
104.0	93	-68	97	-85
104.5	94	-68	98	-85
105.0	94	-68	98	-85
105.5	94	-69	98	-86
106.0	94	-69	99	-86
106.5	95	-69	99	-86
107.0	94	-69	99	-86
107.5	95	-70	99	-86
108.0	94	-70	99	-87
108.5	94	-70	99	-86
109.0	95	-70	100	-87
109.5	94	-70	100	-86
110.0	95	-70	100	-86
110.5	94	-70	100	-87
111.0	94	-70	100	-87
111.5	94	-70	100	-87
112.0	94	-70	100	-86
112.5	94	-71	99	-86
113.0	93	-71	100	-86
113.5	93	-71	99	-86
114.0	93	-71	99	-86
114.5	93	-71	99	-86
115.0	92	-71	99	-86
115.5	92	-71	99	-85
116.0	92	-70	99	-85
116.5	92	-70	98	-85
117.0	91	-70	98	-84
117.5	91	-70	98	-84
118.0	91	-70	98	-84
118.5	90	-70	98	-84
119.0	90	-70	97	-83
119.5	89	-70	97	-83
120.0	89	-70	97	-83
120.5	89	-70	97	-82
121.0	88	-69	96	-82
121.5	88	-69	96	-81
122.0	87	-69	95	-81
122.5	87	-69	95	-81
123.0	86	-69	95	-80
123.5	86	-69	94	-80
124.0	86	-69	94	-79
124.5	85	-68	94	-79
125.0	85	-69	94	-79
125.5	84	-68	93	-78
126.0	84	-68	93	-78
126.5	84	-68	93	-78
127.0	83	-68	93	-77
127.5	83	-68	92	-77
128.0	83	-68	92	-77
128.5	82	-68	92	-76
129.0	82	-68	91	-76
129.5	81	-68	91	-76
130.0	81	-67	91	-75
130.5	81	-67	91	-75
131.0	80	-68	91	-75
131.5	80	-67	90	-74
132.0	80	-67	90	-74
132.5	79	-66	90	-73
133.0	79	-66	89	-73
133.5	78	-66	89	-72
134.0	78	-66	89	-72
134.5	77	-66	88	-72
135.0	77	-66	88	-72
135.5	77	-66	88	-71
136.0	76	-66	88	-71
136.5	76	-66	87	-71
137.0	76	-66	87	-70
137.5	75	-66	87	-70

Column 1D, 500 mm Below Second Floor Slab .

Table 15.1

138.0	75	-65	87	-70
138.5	75	-65	87	-69
139.0	74	-65	86	-69
139.5	74	-65	86	-69
140.0	73	-65	86	-68
140.5	73	-65	86	-68
141.0	73	-65	86	-68
141.5	72	-65	85	-68
142.0	72	-65	85	-67
142.5	72	-65	85	-67
143.0	71	-65	85	-67
143.5	71	-65	85	-67
144.0	71	-65	84	-66
144.5	70	-65	84	-66
145.0	70	-65	84	-66
145.5	70	-64	84	-65
146.0	69	-64	84	-65
146.5	69	-64	83	-65
147.0	69	-64	83	-65
147.5	68	-64	83	-64
148.0	68	-64	83	-64
148.5	68	-64	83	-64
149.0	67	-64	82	-64
166.0	56	-61	76	-55
176.0	51	-59	73	-51
186.0	45	-58	69	-47
196.0	41	-56	66	-43
206.0	36	-55	64	-40
216.0	32	-53	61	-37
226.0	29	-52	58	-34
236.0	26	-51	56	-32
246.0	24	-50	55	-29
256.0	21	-49	53	-28
266.0	19	-50	53	-27
276.0	18	-49	51	-26
286.0	16	-49	50	-25
296.0	14	-48	49	-24
306.0	13	-48	48	-23
316.0	12	-48	48	-22
326.0	10	-47	47	-21
336.0	9	-47	46	-20
346.0	8	-47	46	-20
356.0	7	-47	45	-20
366.0	6	-47	44	-19
376.0	5	-46	43	-19
386.0	5	-46	42	-18
396.0	4	-46	42	-18
406.0	4	-46	41	-18
416.0	3	-45	40	-17
426.0	2	-44	40	-17
436.0	2	-44	39	-16
446.0	1	-43	39	-16
456.0	1	-43	38	-16
466.0	1	-43	38	-16
476.0	0	-43	38	-16
486.0	0	-42	37	-15
496.0	0	-42	37	-15
506.0	-1	-42	37	-15
516.0	-1	-41	36	-14
526.0	-1	-41	36	-14
536.0	-1	-41	35	-14
546.0	-2	-40	35	-14
556.0	-2	-40	35	-14
566.0	-2	-40	34	-14
576.0	-2	-40	34	-14
586.0	-2	-40	33	-14
596.0	-3	-40	32	-14
606.0	-3	-40	31	-14
616.0	-3	-39	31	-13
626.0	-3	-39	31	-13

Column 1D, 500 mm Below Second Floor Slab .

Table 15.1

636.0	-3	-39	30	-13
646.0	-3	-39	30	-13
656.0	-4	-39	29	-12
666.0	-4	-38	28	-12
676.0	-5	-37	27	-11
686.0	-5	-37	26	-11
696.0	-5	-37	26	-11
706.0	-5	-36	26	-11
716.0	-5	-35	26	-10
726.0	-5	-35	26	-10
736.0	-5	-35	26	-9
746.0	-5	-35	25	-10
756.0	-5	-35	26	-9
766.0	-5	-35	25	-9
776.0	-5	-34	25	-9

**Column 1D, 500 mm Below Second Floor Slab .**

**Table 15.1**

