


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	49	50	51	52
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	0	0	0	0
7.5	1	1	0	0
8.0	0	1	0	0
8.5	1	1	0	0
9.0	1	1	0	0
9.5	1	1	0	1
10.0	1	1	1	1
10.5	1	1	1	1
11.0	1	1	1	1
11.5	1	1	1	1
12.0	1	1	0	0
12.5	0	1	0	1
13.0	1	1	0	1
13.5	0	0	0	0
14.0	0	0	0	1
14.5	0	0	0	1
15.0	1	1	0	1
15.5	1	1	0	1
16.0	0	1	0	0
16.5	0	1	-1	0
17.0	1	1	-1	0
17.5	1	2	-1	-1
18.0	2	3	-3	-1
18.5	4	5	-3	-2
19.0	5	6	-5	-4
19.5	7	9	-7	-5
20.0	9	13	-10	-6
20.5	12	16	-13	-8
21.0	15	20	-16	-11
21.5	18	25	-20	-13
22.0	22	30	-24	-17
22.5	27	36	-30	-21
23.0	32	42	-36	-25
23.5	38	49	-42	-31
24.0	46	57	-50	-37
24.5	53	65	-58	-43
25.0	60	72	-66	-49
25.5	66	79	-72	-55
26.0	72	87	-79	-60
26.5	79	94	-88	-66
27.0	86	102	-96	-72
27.5	93	110	-104	-78
28.0	100	118	-111	-84
28.5	107	125	-119	-90
29.0	113	132	-128	-96
29.5	119	140	-136	-101
30.0	124	147	-143	-107
30.5	130	153	-150	-113
31.0	136	161	-157	-119
31.5	144	167	-165	-125
32.0	150	174	-172	-132
32.5	156	181	-179	-139



| Not Recorded

Column 1E , 300 mm Below First Floor Slab .

Table 5.1

33.0	162	186	-185	-144
33.5	168	192	-192	-150
34.0	172	197	-199	-156
34.5	179	203	-205	-162
35.0	184	208	-213	-168
35.5	192	216	-220	-175
36.0	199	222	-227	-180
36.5	204	226	-232	-184
37.0	208	229	-235	-187
37.5	210	232	-239	-189
38.0	216	236	-243	-193
38.5	221	242	-249	-198
39.0	227	247	-255	-203
39.5	233	252	-260	-207
40.0	238	257	-266	-212
40.5	245	263	-272	-217
41.0	251	269	-278	-223
41.5	257	275	-286	-228
42.0	264	282	-292	-235
42.5	272	288	-299	-240
43.0	278	295	-306	-246
43.5	283	300	-311	-251
44.0	291	306	-319	-257
44.5	302	315	-329	-266
45.0	310	321	-336	-272
45.5	318	327	-342	-278
46.0	325	334	-349	-284
46.5	330	339	-354	-288
47.0	335	344	-360	-293
47.5	341	350	-365	-298
48.0	347	356	-370	-302
48.5	353	364	-377	-310
49.0	362	372	-384	-317
49.5	368	378	-390	-323
50.0	373	384	-394	-327
50.5	380	391	-401	-333
51.0	385	397	-407	-340
51.5	391	402	-412	-344
52.0	397	407	-417	-348
52.5	400	410	-420	-351
53.0	403	413	-424	-353
53.5	406	416	-428	-354
54.0	405	416	-430	-354
54.5	405	416	-431	-353
55.0	406	416	-431	-353
55.5	404	413	-430	-351
56.0	401	410	-428	-348
56.5	397	407	-426	-345
57.0	393	403	-423	-341
57.5	389	398	-420	-338
58.0	384	394	-417	-334
58.5	380	390	-413	-330
59.0	376	386	-409	-326
59.5	371	381	-406	-321
60.0	366	376	-401	-316
60.5	361	371	-397	-311
61.0	356	367	-392	-305
61.5	351	362	-388	-301
62.0	344	357	-383	-295
62.5	338	351	-378	-289
63.0	332	346	-373	-284
63.5	326	342	-369	-280
64.0	322	338	-366	-277
64.5	319	334	-364	-274
65.0	315	331	-361	-271
65.5	312	328	-358	-269
66.0	308	324	-355	-267
66.5	305	321	-351	-264
67.0	302	317	-349	-263
67.5	298	312	-344	-260

Column 1E , 300 mm Below First Floor Slab .

Table 5.1

68.0	294	306	-340	-257
68.5	289	300	-334	-252
69.0	283	293	-327	-247
69.5	277	286	-320	-242
70.0	270	280	-313	-237
70.5	264	274	-307	-232
71.0	259	268	-301	-227
71.5	253	263	-296	-223
72.0	248	257	-290	-219
72.5	242	252	-285	-215
73.0	237	247	-279	-210
73.5	232	242	-274	-206
74.0	228	237	-268	-202
74.5	223	233	-263	-198
75.0	218	228	-258	-194
75.5	213	224	-253	-190
76.0	208	219	-247	-186
76.5	203	214	-243	-181
77.0	199	210	-238	-178
77.5	194	206	-233	-174
78.0	190	202	-229	-169
78.5	186	198	-224	-166
79.0	182	195	-220	-163
79.5	179	192	-216	-159
80.0	175	189	-212	-155
80.5	171	185	-208	-152
81.0	168	182	-204	-149
81.5	164	179	-201	-146
82.0	160	176	-197	-142
82.5	156	173	-193	-137
83.0	152	170	-189	-134
83.5	149	167	-185	-130
84.0	145	164	-181	-127
84.5	141	162	-178	-123
85.0	138	159	-174	-119
85.5	134	157	-170	-116
86.0	131	154	-167	-112
86.5	128	152	-163	-109
87.0	126	149	-161	-106
87.5	123	147	-157	-102
88.0	120	144	-155	-99
88.5	117	142	-151	-96
89.0	114	140	-147	-92
89.5	112	137	-144	-88
90.0	109	134	-141	-85
90.5	106	132	-137	-81
91.0	104	129	-134	-78
91.5	101	127	-131	-74
92.0	99	125	-128	-71
92.5	96	122	-125	-68
93.0	94	120	-122	-64
93.5	92	118	-119	-61
94.0	89	115	-116	-58
94.5	87	113	-112	-55
95.0	85	111	-110	-52
95.5	82	109	-107	-48
96.0	80	107	-104	-46
96.5	78	105	-102	-43
97.0	76	103	-99	-40
97.5	75	101	-97	-38
98.0	74	100	-96	-36
98.5	73	99	-95	-35
99.0	71	98	-95	-33
99.5	70	98	-94	-32
100.0	70	97	-92	-31
100.5	69	96	-92	-29
101.0	68	95	-91	-28
101.5	67	95	-90	-27
102.0	66	94	-88	-25
102.5	66	94	-87	-24

Column 1E , 300 mm Below First Floor Slab .

Table 5.1

103.0	65	93	-86	-22
103.5	65	93	-86	-22
104.0	65	93	-85	-21
104.5	64	93	-84	-19
105.0	64	92	-83	-18
105.5	63	91	-82	-17
106.0	63	91	-81	-15
106.5	62	90	-80	-14
107.0	62	90	-78	-12
107.5	61	89	-77	-11
108.0	60	89	-76	-9
108.5	59	88	-74	-8
109.0	58	87	-73	-6
109.5	58	86	-72	-5
110.0	57	86	-71	-4
110.5	57	85	-70	-3
111.0	56	84	-69	-1
111.5	56	84	-68	0
112.0	55	83	-67	1
112.5	54	83	-66	1
113.0	53	82	-65	3
113.5	52	81	-63	5
114.0	51	80	-62	6
114.5	50	79	-60	8
115.0	49	77	-58	10
115.5	48	76	-56	12
116.0	47	74	-55	13
116.5	45	73	-53	15
117.0	44	72	-51	17
117.5	43	70	-49	19
118.0	42	69	-48	20
118.5	41	68	-46	22
119.0	39	66	-44	24
119.5	38	64	-42	26
120.0	37	63	-40	28
120.5	35	61	-38	29
121.0	33	59	-36	31
121.5	32	57	-34	33
122.0	30	55	-33	35
122.5	29	54	-30	38
123.0	27	52	-29	40
123.5	25	50	-26	42
124.0	24	49	-25	44
124.5	22	47	-23	46
125.0	21	45	-21	48
125.5	20	44	-20	50
126.0	19	42	-18	52
126.5	17	41	-16	53
127.0	16	40	-14	55
127.5	15	38	-13	57
128.0	14	37	-12	58
128.5	13	36	-10	60
129.0	11	34	-9	61
129.5	10	33	-7	63
130.0	9	32	-5	64
130.5	8	31	-4	66
131.0	7	30	-3	67
131.5	6	29	-2	68
132.0	5	28	0	70
132.5	4	26	2	72
133.0	3	26	3	73
133.5	2	25	4	74
134.0	1	24	5	75
134.5	1	23	7	76
135.0	0	22	8	78
135.5	-1	21	9	79
136.0	-2	20	11	80
136.5	-3	19	11	81
137.0	-4	18	13	82
137.5	-5	17	14	83

Column 1E , 300 mm Below First Floor Slab .

Table 5.1

138.0	-5	16	15	84
138.5	-6	16	16	85
139.0	-7	15	17	86
139.5	-8	14	18	87
140.0	-8	14	20	88
140.5	-9	13	20	89
141.0	-10	12	22	90
141.5	-11	11	23	91
142.0	-12	11	24	92
142.5	-13	10	25	93
143.0	-13	10	26	93
143.5	-14	9	27	94
144.0	-15	8	28	95
144.5	-15	8	29	96
145.0	-16	7	30	96
145.5	-16	7	31	97
146.0	-17	6	32	98
146.5	-18	6	32	98
147.0	-18	5	33	99
147.5	-18	5	34	100
148.0	-19	4	35	100
148.5	-19	3	36	101
149.0	-20	3	37	101
166.0	-35	-11	64	118
176.0	-42	-17	76	124
186.0	-47	-22	87	130
196.0	-53	-26	97	134
206.0	-58	-30	105	138
216.0	-62	-35	113	142
226.0	-67	-39	118	145
236.0	-68	-41	124	147
246.0	-69	-43	128	148
256.0	-70	-46	131	150
266.0	-70	-45	131	149
276.0	-72	-48	135	150
286.0	-73	-50	137	151
296.0	-74	-53	140	151
306.0	-75	-55	142	152
316.0	-76	-57	144	153
326.0	-77	-59	145	153
336.0	-78	-61	147	153
346.0	-79	-64	149	153
356.0	-81	-66	151	154
366.0	-82	-68	152	154
376.0	-83	-70	153	154
386.0	-84	-71	155	155
396.0	-84	-73	156	155
406.0	-85	-74	157	155
416.0	-86	-76	157	155
426.0	-87	-77	159	155
436.0	-87	-79	160	156
446.0	-88	-80	160	155
456.0	-88	-81	161	155
466.0	-89	-82	161	155
476.0	-89	-83	161	155
486.0	-89	-84	161	155
496.0	-90	-85	162	154
506.0	-90	-86	162	154
516.0	-91	-87	163	154
526.0	-91	-88	163	154
536.0	-92	-89	163	154
546.0	-92	-90	163	153
556.0	-93	-91	163	153
566.0	-93	-91	163	153
576.0	-93	-92	163	151
586.0	-93	-92	163	150
596.0	-92	-93	164	149
606.0	-91	-93	165	149
616.0	-90	-94	166	149
626.0	-90	-95	166	148

Column 1E , 300 mm Below First Floor Slab .

Table 5.1

636.0	-91	-96	165	147
646.0	-92	-97	165	146
656.0	-92	-97	165	145
666.0	-92	-97	165	144
676.0	-92	-96	165	143
686.0	-91	-96	165	142
696.0	-91	-96	165	141
706.0	-91	-96	165	142
716.0	-91	-96	165	142
726.0	-91	-95	165	142
736.0	-91	-95	165	142
746.0	-91	-95	165	141
756.0	-90	-95	165	141
766.0	-91	-95	165	141
776.0	-90	-95	165	140

