


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	41	42	43	44
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	1	1	0	1
7.5	1	1	1	2
8.0	0	1	0	2
8.5	1	1	0	2
9.0	0	1	0	2
9.5	1	1	0	2
10.0	1	1	0	2
10.5	1	1	0	2
11.0	2	1	1	1
11.5	1	2	1	1
12.0	-1	1	0	1
12.5	0	1	0	2
13.0	1	1	1	1
13.5	0	1	0	1
14.0	1	1	1	1
14.5	1	1	1	1
15.0	1	1	0	2
15.5	1	2	1	1
16.0	1	1	0	1
16.5	0	1	0	1
17.0	0	1	0	1
17.5	1	1	0	1
18.0	0	1	0	1
18.5	0	1	-1	1
19.0	-2	1	-2	1
19.5	-1	1	-2	1
20.0	-2	1	-3	1
20.5	-3	0	-4	1
21.0	-4	0	-5	0
21.5	-4	0	-7	-1
22.0	-6	0	-8	-1
22.5	-6	0	-9	-2
23.0	-7	0	-11	-2
23.5	-9	-1	-12	-3
24.0	-9	0	-13	-3
24.5	-9	0	-14	-4
25.0	-9	0	-14	-4
25.5	-9	0	-15	-5
26.0	-9	0	-16	-5
26.5	-9	1	-17	-5
27.0	-10	0	-18	-5
27.5	-9	1	-18	-6
28.0	-9	1	-19	-6
28.5	-9	1	-19	-7
29.0	-9	1	-20	-8
29.5	-9	1	-21	-8
30.0	-8	2	-22	-9
30.5	-9	2	-23	-9
31.0	-10	4	-25	-10
31.5	-11	6	-26	-10
32.0	-12	7	-28	-10
32.5	-12	9	-30	-11



| Not Recorded

Column 2E , 300 mm Below First Floor Slab .

Table 7.1

33.0	-13	10	-32	-11
33.5	-13	11	-33	-11
34.0	-13	12	-35	-12
34.5	-12	13	-36	-12
35.0	-13	13	-38	-12
35.5	-14	13	-39	-12
36.0	-14	13	-41	-12
36.5	-16	12	-42	-12
37.0	-17	12	-43	-12
37.5	-18	11	-43	-13
38.0	-17	11	-43	-13
38.5	-18	11	-44	-14
39.0	-19	10	-44	-14
39.5	-19	10	-45	-14
40.0	-20	9	-46	-15
40.5	-21	8	-46	-15
41.0	-22	7	-47	-15
41.5	-23	7	-48	-15
42.0	-24	5	-49	-15
42.5	-24	5	-50	-15
43.0	-24	5	-51	-15
43.5	-25	4	-52	-15
44.0	-26	3	-53	-15
44.5	-25	3	-53	-14
45.0	-26	2	-54	-14
45.5	-27	1	-55	-13
46.0	-27	0	-56	-13
46.5	-26	0	-57	-13
47.0	-27	-1	-57	-13
47.5	-26	-2	-58	-13
48.0	-26	-3	-59	-13
48.5	-27	-4	-59	-13
49.0	-26	-5	-60	-12
49.5	-25	-5	-60	-12
50.0	-24	-6	-60	-12
50.5	-23	-7	-60	-12
51.0	-23	-9	-61	-12
51.5	-21	-9	-61	-11
52.0	-18	-10	-62	-12
52.5	-16	-10	-62	-12
53.0	-14	-11	-63	-13
53.5	-11	-10	-63	-14
54.0	-7	-10	-64	-15
54.5	-4	-11	-64	-17
55.0	0	-11	-64	-19
55.5	4	-10	-64	-22
56.0	7	-10	-64	-24
56.5	11	-10	-64	-27
57.0	15	-9	-65	-30
57.5	18	-8	-65	-33
58.0	21	-8	-65	-35
58.5	24	-8	-66	-38
59.0	26	-7	-66	-40
59.5	27	-8	-67	-42
60.0	29	-7	-68	-45
60.5	33	-7	-67	-48
61.0	35	-7	-68	-50
61.5	38	-7	-68	-52
62.0	41	-6	-68	-55
62.5	44	-5	-68	-58
63.0	47	-4	-68	-61
63.5	48	-4	-69	-63
64.0	50	-4	-69	-65
64.5	53	-4	-69	-67
65.0	55	-5	-68	-69
65.5	57	-6	-67	-71
66.0	59	-7	-66	-72
66.5	62	-7	-65	-74
67.0	63	-9	-63	-75
67.5	63	-10	-62	-75

Column 2E , 300 mm Below First Floor Slab .

Table 7.1

68.0	66	-12	-59	-77
68.5	67	-13	-57	-79
69.0	69	-13	-56	-80
69.5	72	-14	-54	-82
70.0	74	-14	-53	-84
70.5	75	-15	-51	-85
71.0	77	-16	-50	-87
71.5	79	-16	-49	-88
72.0	82	-17	-47	-91
72.5	82	-18	-46	-92
73.0	85	-18	-45	-94
73.5	86	-20	-44	-96
74.0	87	-21	-42	-97
74.5	88	-22	-40	-99
75.0	90	-23	-38	-100
75.5	91	-24	-35	-102
76.0	90	-25	-33	-103
76.5	91	-26	-31	-104
77.0	92	-28	-28	-105
77.5	92	-30	-26	-106
78.0	93	-31	-24	-107
78.5	94	-32	-22	-108
79.0	94	-34	-21	-109
79.5	94	-36	-19	-111
80.0	95	-37	-18	-112
80.5	96	-38	-17	-114
81.0	97	-40	-16	-116
81.5	98	-42	-15	-118
82.0	100	-43	-15	-120
82.5	102	-43	-15	-124
83.0	104	-45	-15	-127
83.5	106	-46	-15	-130
84.0	107	-48	-14	-133
84.5	109	-50	-13	-136
85.0	110	-51	-12	-138
85.5	111	-53	-10	-142
86.0	112	-55	-9	-144
86.5	113	-56	-8	-146
87.0	113	-57	-8	-149
87.5	113	-57	-8	-151
88.0	113	-57	-9	-151
88.5	112	-57	-10	-152
89.0	109	-57	-12	-151
89.5	108	-56	-14	-150
90.0	106	-56	-16	-149
90.5	103	-54	-18	-148
91.0	100	-53	-20	-146
91.5	97	-52	-22	-144
92.0	93	-51	-25	-143
92.5	90	-50	-27	-141
93.0	87	-49	-29	-139
93.5	84	-47	-31	-136
94.0	80	-47	-33	-134
94.5	78	-45	-34	-132
95.0	75	-44	-36	-130
95.5	71	-43	-38	-128
96.0	68	-43	-39	-126
96.5	65	-42	-40	-124
97.0	62	-42	-41	-122
97.5	60	-41	-42	-120
98.0	57	-41	-43	-119
98.5	53	-41	-44	-117
99.0	52	-40	-45	-115
99.5	49	-40	-46	-113
100.0	47	-40	-46	-112
100.5	45	-39	-46	-110
101.0	43	-39	-47	-109
101.5	42	-39	-48	-107
102.0	41	-38	-50	-106
102.5	40	-37	-51	-105

Column 2E , 300 mm Below First Floor Slab .

Table 7.1

103.0	38	-38	-51	-103
103.5	37	-37	-53	-103
104.0	36	-37	-54	-102
104.5	35	-36	-55	-102
105.0	35	-36	-57	-102
105.5	34	-36	-59	-103
106.0	34	-36	-60	-103
106.5	32	-36	-60	-102
107.0	32	-37	-60	-102
107.5	31	-37	-60	-102
108.0	31	-38	-60	-102
108.5	30	-39	-59	-102
109.0	29	-40	-59	-102
109.5	29	-41	-59	-102
110.0	28	-42	-58	-102
110.5	28	-43	-58	-102
111.0	27	-44	-57	-102
111.5	27	-45	-56	-101
112.0	27	-46	-55	-101
112.5	25	-47	-55	-102
113.0	26	-47	-54	-102
113.5	25	-49	-53	-102
114.0	25	-49	-52	-102
114.5	24	-51	-52	-102
115.0	24	-51	-51	-102
115.5	24	-52	-50	-102
116.0	24	-53	-50	-102
116.5	23	-54	-49	-103
117.0	23	-55	-49	-103
117.5	22	-55	-48	-103
118.0	22	-57	-47	-103
118.5	21	-57	-47	-103
119.0	21	-59	-45	-102
119.5	20	-59	-45	-102
120.0	19	-61	-44	-102
120.5	19	-61	-43	-102
121.0	18	-62	-42	-101
121.5	17	-63	-41	-101
122.0	16	-64	-41	-101
122.5	16	-65	-39	-101
123.0	16	-65	-39	-100
123.5	15	-66	-38	-100
124.0	15	-66	-38	-100
124.5	14	-67	-37	-100
125.0	13	-68	-37	-100
125.5	13	-68	-36	-99
126.0	12	-69	-35	-99
126.5	12	-70	-35	-99
127.0	12	-70	-34	-99
127.5	12	-70	-34	-99
128.0	11	-71	-33	-98
128.5	11	-71	-33	-98
129.0	10	-72	-33	-98
129.5	10	-73	-32	-98
130.0	10	-73	-31	-98
130.5	9	-73	-31	-97
131.0	7	-74	-31	-97
131.5	8	-74	-30	-96
132.0	7	-74	-30	-96
132.5	6	-76	-29	-95
133.0	4	-77	-28	-94
133.5	4	-77	-28	-94
134.0	3	-77	-27	-93
134.5	3	-78	-27	-92
135.0	2	-78	-26	-92
135.5	1	-78	-26	-91
136.0	0	-78	-26	-91
136.5	-1	-79	-26	-90
137.0	-1	-79	-26	-90
137.5	-1	-79	-25	-89

Column 2E , 300 mm Below First Floor Slab .

Table 7.1

138.0	-2	-79	-25	-88
138.5	-3	-79	-25	-88
139.0	-3	-79	-25	-87
139.5	-5	-79	-24	-87
140.0	-5	-79	-24	-86
140.5	-6	-80	-24	-86
141.0	-6	-80	-23	-85
141.5	-6	-80	-23	-84
142.0	-7	-80	-23	-84
142.5	-7	-80	-23	-83
143.0	-8	-80	-23	-83
143.5	-8	-80	-22	-82
144.0	-9	-81	-22	-82
144.5	-9	-81	-22	-81
145.0	-11	-81	-22	-81
145.5	-10	-81	-22	-81
146.0	-11	-81	-21	-80
146.5	-12	-81	-21	-80
147.0	-12	-81	-21	-79
147.5	-12	-81	-21	-79
148.0	-13	-81	-21	-78
148.5	-13	-81	-20	-78
149.0	-14	-82	-20	-77
166.0	-23	-84	-15	-63
176.0	-24	-84	-13	-57
186.0	-23	-84	-10	-52
196.0	-21	-83	-9	-48
206.0	-18	-82	-7	-45
216.0	-15	-80	-5	-43
226.0	-14	-77	-4	-39
236.0	-13	-75	-2	-35
246.0	-12	-75	1	-29
256.0	-11	-74	4	-25
266.0	-13	-76	7	-19
276.0	-13	-74	9	-15
286.0	-11	-73	11	-11
296.0	-11	-72	13	-7
306.0	-12	-70	15	-3
316.0	-11	-68	17	1
326.0	-10	-66	18	5
336.0	-9	-65	20	8
346.0	-9	-63	21	10
356.0	-8	-62	22	13
366.0	-7	-60	23	16
376.0	-7	-58	25	19
386.0	-6	-57	26	21
396.0	-5	-55	26	24
406.0	-5	-53	27	26
416.0	-4	-52	28	28
426.0	-2	-50	29	30
436.0	-1	-49	30	32
446.0	-1	-47	31	34
456.0	1	-46	32	36
466.0	2	-45	33	38
476.0	2	-43	34	40
486.0	3	-42	34	42
496.0	4	-41	35	43
506.0	5	-40	36	45
516.0	6	-39	36	46
526.0	7	-38	37	47
536.0	8	-37	38	48
546.0	9	-36	38	49
556.0	10	-35	39	51
566.0	10	-35	40	51
576.0	11	-34	40	52
586.0	11	-34	41	53
596.0	11	-33	41	55
606.0	10	-33	42	56
616.0	12	-32	42	57
626.0	12	-31	43	58

Column 2E , 300 mm Below First Floor Slab .

Table 7.1

636.0	12	-30	44	59
646.0	13	-29	44	60
656.0	13	-29	45	61
666.0	13	-28	46	62
676.0	14	-27	47	63
686.0	14	-26	47	65
696.0	13	-25	48	66
706.0	14	-24	49	67
716.0	14	-23	50	69
726.0	14	-22	51	71
736.0	14	-21	52	72
746.0	14	-21	53	73
756.0	14	-20	54	74
766.0	14	-19	54	76
776.0	14	-19	55	77

2